

Construction Products Regulation Declaration of Performance 8th December 2020



1. Identification Code / Product Type: **Insulated Double DuraPass - Panic Exit Doorset**
2. Serial number: **Refer to door label**
3. Intended Use: **External pedestrian doorset intended to be used in domestic and commercial applications.**
4. Manufacturer: **Pass Door Systems, Unit 5 & 6, 1 Woodside Road Industrial Estate, Broughshane BT42 4 QJ**
5. Authorised Representative: **Not Applicable**
6. Assessment and verification of constancy of performance: **System 1**
7. Relevant harmonised standard: **BS EN 14351-1:2006 Notified Bodies: Element Materials Technology Rotterdam B.V. under notified body number 2812 performed ITT under system 1 and issued certificate of constancy of performance 2812-CPR-MA5023 in relation to test report WIL 419956.**
8. Declared performance:

| ESSENTIAL CHARACTERISTICS | DECLARED PERFORMANCE | AVCP SYSTEM | HARMONISED STANDARD |
|---|---------------------------|-------------|----------------------------|
| Thermal Resistance | 1.9 W/(m ² .K) | 1 | BS EN 14351-1:2006+A2:2016 |
| Ability to Release | EN 1125 & EN 179 | 1 | |
| Dangerous Substances | None | 1 | |
| Watertightness | NPD | 1 | |
| Resistance to Windload | NPD | 1 | |
| Air Permeability | NPD | 1 | |
| Acoustics | NPD | 1 | |
| Impact resistance of glass or fragmented material | NPD | 1 | |
| Radiation Properties | NPD | 1 | |

The performance of the product identified above is in conformity with the declared performance/s. This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:
Peter Doherty, Managing Director

