

# Construction Products Regulation Declaration of Performance 8th December 2020



1. Identification Code / Product Type: **Insulated Single DuraPass - Panic Exit Doorset**
2. Serial number: **Refer to door label**
3. Intended Use: **External pedestrian doorset intended to be used in domestic and commercial applications.**
4. Manufacturer: **Pass Door Systems, Unit 5 & 6, 1 Woodside Road Industrial Estate, Broughshane BT42 4 QJ**
5. Authorised Representative: **Not Applicable**
6. Assessment and verification of constancy of performance: **System 1**
7. Relevant harmonised standard: **BS EN 14351-1:2006 Notified Bodies: Element Materials Technology Rotterdam B.V. under notified body number 2812 performed ITT under system 1 and issued certificate of constancy of performance 2812-CPR-MA5023 in relation to test report WIL 419956.**
8. Declared performance:

ESSENTIAL CHARACTERISTICS	DECLARED PERFORMANCE	AVCP SYSTEM	HARMONISED STANDARD
Thermal Resistance	1.9 W/(m <sup>2</sup> .K)	1	BS EN 14351-1:2006+A2:2016
Ability to Release	EN 1125 & EN 179	1	
Dangerous Substances	None	1	
Watertightness	NPD	1	
Resistance to Windload	NPD	1	
Air Permeability	NPD	1	
Acoustics	NPD	1	
Impact resistance of glass or fragmented material	NPD	1	
Radiation Properties	NPD	1	

The performance of the product identified above is in conformity with the declared performance/s. This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:  
**Peter Doherty, Managing Director**

